

GC2018092545_010001_5117: Window Replacement Services

DESCRIPTION: Furnish all required labor, materials and equipment necessary to provide Scope-of-Service at the described location. Work is being authorized by SynergyNDS as part of the TurnKey Recovery Program[™] (Contractor Direct Repair Program) in limited partnership with the Florida Municipal Insurance Trust (FMIT).

LOCATION: Calhoun County Health Department | 19611 W Central Ave, Blountstown, FL 32424

SUBMITTAL INSTRUCTIONS: For purposes of generating bid - IFB Packet includes scope specifications and bid sheet specific to referenced project

- Bids shall be received no later than 4/25/19 (emailed to bids@synergynds.com)
- Include Subject Line Reference: GC2018092545 010001 5117: Window Replacement Services
- Contractor is required to identify and validate all necessary task items, measurements/dimensions &/or other applicable conditions in support of described scope-of-work. Contractor's Bid is to account for all work to be performed in accordance to trade standards and as required by Ordinance & Law.
- Bid shall be completed and submitted using **ONLY** the <u>Contractor Submittal Form</u> (provided at the end of the IFB Packet).
- Bid award will be made based on best overall LUMP SUM project value as determined by SynergyNDS in
 accordance to market valuation, project demands &/or critical path. Factors other than price may affect
 the bid award, such as ability to complete work in allotted time, quality of work performed, criteria of
 the FMIT Member, or other contributing factors.
- Bids received after above deadline or that are not submitted in accordance to Submittal Instructions may be rejected.
- SynergyNDS reserves the right to modify this IFB at any time during the bid process. Notice to all bidders will be given.

RETURN BID TO:

SynergyNDS / Hurricane Michael Recovery FMIT Turnkey Recovery Program Attention: <u>bids@synergynds.com</u>

Request On-Site Project Visit by emailing <u>hurricanemichael@synergynds.com</u>



GC2018092545_010001_5117: Window Replacement Services

SCOPE OF WORK: Scope includes labor, tools, equipment, PPE, materials, supervision, and insurance necessary to complete the work described in general below. All scope-of-work shall be completed in accordance to manufacture specifications, building codes and applicable industry standards. Work is to begin no later than 2 weeks from contract award notification. Work is to be completed within 14 days from project start date (or other agreed date in writing) excluding unforeseen conditions. Any concerns with timeline are to be discussed with onsite project manager and an email is to be sent to hurricanemichael@synergynds.com for contract documentation.

1. Window Replacement

The Scope of Work included in this RFP includes replacing all damaged windows in the Calhoun County Health Department with windows that meet current codes and standards. Scope of work includes but is not limited to:

- Remove Wood window casement, 3-11 sf: 22.00 EA
- Supply & install wood window casement, 3-11 sf: 22.00 EA
- Remove Wood window picture (fixed), 12-23 sf: 14.00 EA
- Supply and install wood window picture (fixed), 12-23 sf: 14.00 EA
- Remove Soffit & fascia wood 2' overhang: As Required
- Supply & Install soffit & fascia wood 2' overhang: As Required
- Seal & paint wood window (per side) Large: As Required

*Contractor is responsible for verifying exact dimensions and quantities.

*Specifications and type of replacement windows to be reviewed and approved by Calhoun County prior to bid submittal.

BIDS:

Bid price must be specified as follows:

- Cost to replace windows with like-kind replacement; and
- Cost to replace windows with windows that meet current Calhoun County codes and standards.

Refer to the attached Health Department Xactimate Build-Back Scope for estimated quantities/dimensions and additional information.

ADDITIONAL REQUIREMENTS:

- Bid price to include all labor, materials, supplies, tools and other equipment as required to complete work.
- Contractor is responsible for offloading and staging material and equipment.



GC2018092545_010001_5117: Window Replacement Services

- Contractor is responsible for determining and verifying measurements, dimensions and quantities as necessary to complete the Scope of Work.
- All work to be completed in accordance to all national, state, and/or local laws, codes, ordinances, and/or policies.
- Contractor is responsible for obtaining, posting, and maintaining relevant permits to the work being performed.
- Contractor will be required to call in inspections for each required phase of work.

ATTACHMENTS:

1. Health Department Xactimate Build-Back Scope



GC2018092545_010001_5117: Window Replacement Services

TERMS & CONDITIONS:

- The contractor shall abide by all applicable federal, state, and local regulations and codes and building owner policies.
- Contractor is to obtain all applicable permits.
- Contractor is required to call in for all required inspections.
- Contractor to abide by all applicable OSHA requirements and standards. Contractor shall require all employees to utilize proper PPE, including but not limited to: fall protection harnesses, hard hats, safety glasses, safety foot wear, and gloves.
- The contractor shall provide Material Safety Data Sheets (MSDS) to the industrial hygienist of record (IHC, Corp.) for chemical-based products that will be used including, but not limited to, glues, cleaners, solvents, anti-microbial products, sanitizing agents, etc. The industrial hygienist of record retains the right to not allow the use of any of the products selected.
- The contractor shall be responsible for supplying any and all necessary equipment to complete outlined scope of work. Which may include but is not limited to:
 - Dumpsters for any waste materials, debris, etc.
 - Storage containers for materials, cleaning equipment, machinery, etc.
 - Scaffolding. Scaffolding shall be OSHA approved and inspected prior to commencement of work.
- The contractor shall keep the Project Site and the surrounding areas free from the accumulation of waste materials, debris, etc. caused by operations performed under this Scope of Work. Upon completion, the contractor shall remove from Project Site, and surrounding areas:
 - Any waste materials, debris, etc. caused by completing the outlined Scope of Work.
 - Any tools, cleaning equipment, machinery, surplus materials originally furnished by the contractor
- The contractor shall be responsible for field verifying all conditions prior to implementation of this scope of work.
- The contractor shall provide and implement a site-specific health and safety plan to include hazard communication and related OSHA.



GC2018092545_010001_5117: Window Replacement Services

- The contractor is responsible to ensure that any sub-contractors comply with the provisions and terms of this scope of work.
- The contractor is responsible for submitting project and associated contract documents (labor and materials cost rates, worker logs, incidence logs, insurance related documentation, list of completed scope list items, change orders and any written or documented deviations from the contract) each week and a final closeout report with the same information within 30 days after restoration project completion.
- If the contractor determines that deviations, modifications (change order or supplemental costs) from the initial scope-or-work are required, the Contractor shall submit a written request to SynergyNDS for review and approval prior to start of any additional work not otherwise included in initial BID. The written request will contain, at a minimum:
 - Reason for deviation or modification
 - Description of deviation or modification
 - o Estimated time required for deviation or modification
 - Project cost addition or subtraction for deviation or modification
- The contractor is NOT responsible for any conditions or activities the building owner or employees implemented prior to their arrival to the job site. This includes removal of contents, equipment or personnel from the affected areas to the non-affected areas of the building.
- During the cleaning work, pre-existing damage to the building, building system failures, etc. may be found. If this occurs, the contractor will identify, document and record these deficiencies for review and consideration. The item shall be described, the location of the item shall be noted, the date the item was discovered and why the item was discovered. The contractor shall notify the Project Manager of any additional discoveries.

PAYMENT: Project is managed by SynergyNDS, Inc., under the FMIT Turnkey Recovery Direct Repair Program. Payment will be made directly from the Turnkey Recovery Contractor Direct Repair Program to the contractor(s) in accordance with described terms & conditions. At SynergyNDS, Inc.'s discretion, qualified contractors may be eligible for an upfront material deposit or progress payments as determined prior to BID AWARD.



GC2018092545_010001_5117: Window Replacement Services

PAYMENT TERMS: Payments will be made after inspection and approval of work by SynergyNDS, City Building Official &/or Insurance Adjuster. Accurate invoices and required project documentation must be submitted to SynergyNDS for project audit prior to payment.

HOLD HARMLESS: To the fullest extent permitted by law, the Contractor/Vendor shall indemnify, defend, and hold harmless SynergyNDS, Inc, & FMIT, their officers, agents, employees, elected, and appointed officials, Insurance Representatives and volunteers from and against any and all claims, losses or liability, including attorney's fees, arising from injury or death to persons or damage to property occasioned by any act, omission, or failure of the Contractor/Vendor and any of its officers, agents, employees, and volunteers in satisfying the terms required by this contract.

<u>RIGHT TO ACCEPT, REJECT AND WAIVE DEFECTS</u>: FMIT &/or Contracting Agent reserves the right to: reject all quotations; waive formalities, technical defects, and minor irregularities; accept the quotation (if any) deemed most advantageous to and in the best interests of Insured Members of FMIT. Award will be based on price, contractor's daily performance capabilities, availability to provide the specified services when required &/or in accordance to critical path scheduling.

DAMAGES: Contractor will be held liable for any damage caused to the building and ancillary structure, and/or injury to the occupants resulting from the execution of the work or from not exercising proper precautionary protective measures. Any cost of repair/replacement resulting from damages shall be at the contractor's expense.

WORK-SITE PRACTICES:

- Contractor's workers, as well as the various trade contractors entering or leaving the work area, will all attend a site-specific safety meeting as well as daily safety meetings prior the scheduled work day.
- Contractor's workers entering or leaving the work area will don or remove personal protective equipment and clothing in the staging area outside of each work area.
- Waste materials transported from the bag out unit must be moved in a fashion that prevents spreading contamination outside the work area.



GC2018092545_010001_5117: Window Replacement Services

WORKER PERSONAL PROTECTION EQUIPMENT: The National Institute for Occupational Safety and Health (NIOSH) provides the following interim guidelines and warnings to restoration workers.

- Steel toed leather boots should be worn. Tennis shoes or sneakers should *not* be worn because they will transfer contamination and will not prevent punctures, bites, or crush injuries.
- Goggles, safety glasses with side shields or full-face shields shall be used when performing restoration related activities that involve demolition, cutting or the use of ANY power tools. Sun/glare-protective lenses may be needed in some work settings. The use of goggles or protective eyewear should also be worn during the application of any cleaners, sanitizers or disinfectants.
- Soft hat or another protective head cover. Wear an American National Standards Institute (ANSI) rated hardhat if there is any danger of falling debris or electrical hazards.
- Hearing protection (when working in an environment with any noise that you must shout over to be heard).

Comfortable, form fitting, light weight clothing including long pants and a long-sleeved shirt or coveralls. Additional PPE, respiratory protection, or clothing may be required when specific exposure hazards are identified or expected at the work site. In some instances, the protective ensemble components (garment, boots and gloves) may need to be impervious to contaminated flood or other site-specific chemical, physical, or biological hazards. In all instances, workers are advised to wash their hands with soap and clean water, especially before eating or drinking. Protect any cuts or abrasions with waterproof gloves and dressings. The use of insect repellant, sun block and lip balm may also be required for some work environments. Drink plenty of bottled water and take frequent rest breaks to avoid overexertion.

THERMAL STRESSES: HEAT: Workers are at serious risk for developing heat stress. Excessive exposure to hot environments can cause a variety of heat-related problems, including heat stroke, heat exhaustion, heat cramps, and fainting. To reduce the potential for heat stress, drink a glass of fluid every 15 to 20 minutes and wear loose- fitting clothing. Additionally, incorporate work-rest cycles into work routines and when possible distribute the workload evenly throughout the day.

****Temporary cooling to the work areas shall only be authorized by the owner's representative based on the actual need for the work being performed. Where the conditions allow for the operation of part or all of the ventilation systems serving the work area then the need for temporary cooling is NOT necessary. The work area should be maintained at conditions that meet OSHA requirements for health and safety.***



GC2018092545_010001_5117: Window Replacement Services

WORKING IN CONFINED SPACES: If you are required to work in a boiler, furnace, pipeline, pit, pumping station, septic tank, sewage digester, storage tank, utility vault, well, or similar enclosure, you should be aware of the hazards of working in confined spaces. A confined space has one or more of the following characteristics:

- limited openings for entry or exit;
- unfavorable natural ventilation; or
- Is not designed for continuous worker occupancy.

Toxic gases, a lack of oxygen, or explosive conditions may exist in the confined area, resulting in a potentially deadly atmosphere. Because many toxic gases and vapors cannot be seen or smelled, never trust your senses to determine if safe entry is possible. **Never** enter a confined space unless you have been properly trained, even to rescue a fellow worker! If you need to enter a confined space and do not have the proper training and equipment, contact your local fire department for assistance.

CONTRACT IMPLEMENTATION: Contract will be awarded upon review of all bids and proposals received by SynergyNDS. Initiation of contract is engaged upon written bid award letter. At such time, Contractor signed Request for Service Pricing (RFP) will serve as Contract. Complete Contract engagement will occur upon SynergyNDS receipt of all required documentation including but not limited to:

- Certificate of General Liability Insurance
- Certificate of Auto Insurance
- Builder's Risk Insurance
- Certificate of Worker's Compensation or Letter of Exemption
- Contractor's W-9
- State Licenses

Further description of insurance requirements is listed in "Insurance & Licensing Requirements."

ASSIGNMENT OF CONTRACT: Contractor shall not assign the contract or any part thereof to any person, firm, corporation or company unless such assignment is approved in writing by the Purchasing Agent. Such acceptance shall be at the sole discretion of the SynergyNDS upon request of the Contractor. Upon approved and executed written authorization, Contractor will be responsible for coordination of work with other trades. Failure to coordinate this work shall not constitute additional cost as governed by the Lump Sum Contract Award.



GC2018092545_010001_5117: Window Replacement Services

ASSIGNMENT OF CONTRACTOR: Contractor is responsible for supplying all required Personal Protective Equipment (PPE), including but not limited to the furnishing and appropriate use of: hard hat(s), safety glasses, face shields, ear plugs, gloves, boots, fall protection (where required), breathing protection (where required), tie off ropes/apparatuses/points (where required), fire extinguishers, first aid kits, etc. Contractor is required to be familiar with and follow all OSHA, State of Florida and Bay County safety requirements.

Contractor is to hold daily jobsite safety meetings that review the work to be performed, the hazards involved and the methods for reducing and eliminating such hazards, as well as maintain meeting records, - including attendance lists, which shall be kept onsite and available for SynergyNDS review at all times. Contractor shall be solely liable for any and all OSHA violations associated with his/her employees.

SynergyNDS reserves the right to hold weekly progress meetings for which the Subcontractor shall attend. Contractor shall be responsible for daily cleanup of the work performed herein. Failure to cleanup daily after trade will result in cleanup supplementation at Contractor's cost. Twenty-Four (24) hour notice will be given prior to supplementation. Contractor shall be responsible for delivery, loading, unloading, storage, protection, etc. of all work provided herein.

ENERGY EFFICIENCY: The Contractor shall comply with all mandatory standards and policies relating to energy efficiency which are contained in the energy conservation plan issued in compliance with the Energy Policy and Conservation Act (Pub.L. 94-163) for the State in which the work under this contract is performed.

PROCUREMENT OF RECOVERED MATERIALS: (a) In accordance with Section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, the Contractor shall procure items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR Part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition. The Contractor should procure items designated in the EPA Guidelines that contain the highest percentage of recovered materials practical unless the Contractor determines that such items: (1) are not reasonably available in a reasonable period of time; (2) fail to meet reasonable performance standards, which shall be determined on the basis of the guidelines of the National Institute of Standards and Technology; (3) are only available at un price.

FAILURE TO COMPLY: For failure to deliver in accordance with specifications, SynergyNDS may cancel the contract or any part thereof and purchase services on the open market, charging any additional cost to the Contractor. Contractor shall comply with all applicable state, federal and local codes, and pay all permits, licenses and certificates, and other fees as required by the work.



GC2018092545_010001_5117: Window Replacement Services

INSURANCE & LICENSING REQUIREMENTS: Before starting work, the Contractor will provide SynergyNDS proof of Worker's Compensation and Commercial and Public Liability Insurance. The Contractor must be licensed to do business in the State of Florida and SynergyNDS must be named as an additional insured on general liability insurance certificate.

The Contractor will carry Worker's Compensation Insurance for all employees engaged in work at the site, in accordance with State or Territorial Worker's Compensation Laws.

Commercial and Public Liability with bodily injury and property damage limits will be at a combined single limit of at least \$500,000 to protect the contractor and each subcontractor against claims for injury to or death of one or more persons.

Automobile Liability on owned and non-owned motor vehicles used on the site(s), or in connection with the sites, for a combined single limit for bodily injury and property damages of not less than \$500,000.00 per occurrence.

Builder's Work Insurance limit of at least \$5,000.00 per occurrence and \$10,000.00 aggregate.

Professional Liability \$1,000,000 per occurrence (if applicable).

Contractor will not allow insurance coverage to lapse and will provide Turnkey Recovery Project Manager with updated Certificates of Insurance as necessary. All policies must provide that at least thirty (30) days' notice of cancellation will be given to the FMIT Project Manager and the contractor.

The certificate holder(s) must be noted as:

Synergy NDS, Inc. 1400 Sarno Rd Melbourne, FL 32935 Florida Municipal Insurance Trust 125 E. Colonial Dr. Orlando, FL 32801



GC2018092545_010001_5117: Window Replacement Services

This DOES NOT represent a commitment to buy. Any ACTUAL order resulting from this solicitation will be confirmed by Contract Engagement.

CONTRACTOR SUBMITTAL FORM

Company Name	
Address:	
City	State Zip
Phone No	_ Email
Packet preceding the attached Contractor Submitt	
Company Contact	Title
Signature:	Date:
LUMP SUM PROPOSAL -	- SUBMITTAL DEADLINE 4-25-19
Window Replacement Bid (Like-Kind)) \$
Window Replacement Bid (To Currer	nt Code) \$
Required or Requested Material Dep	osit \$

RETURN BID TO:

SynergyNDS / Hurricane Michael Recovery

Email: bids@synergynds.com

Include Email Subject Line Reference: GC2018092545 010001 5117: Window Replacement Services



GC2018092545_010001_5117: Window Replacement Services

Attachment 1: Health Department Xactimate Build-Back Scope

CONNECTED CLAIM Services	Talla Offi Fax:) E Tennessee Street, Sui ahassee, FL 32308 ce: (844) 987-7486 (844) 987-7486 il: info@connectedclaim			
Insur	ed:		l of County Commissioners -		
Proper	rtv	Health Department 19611 State Rd 20 W			
Tope	ity.	Blountstown, FL 32424	4		
		Diounistown, PE 3242-	+		
Claim Re	ep.:	Timothy Krachenfels		Business:	(361) 336-7361
Busine	ess:	705 S 26th St		E-mail:	10tkrachenfels@gmail.com
		West Des Moines, IA 5	50265		
Estimat	tor:	Timothy Krachenfels		Business:	(361) 336-7361
Busine	ess:	705 S 26th St		E-mail:	10tkrachenfels@gmail.com
		West Des Moines, IA 5	50265		
Referen	ice:			Business:	(888) 890-9741
Compa	ny:	Connected Claims Serv	vices		
Busine	ess:	1350 E Tallahassee St			
		Tallahassee, FL 32308			
Claim Numb	er: C	C2018092545 010-001	Policy Number: FMIT #0856	Туре	of Loss: Hurricane
Date Contact	ed	11/1/2018 12:00 AM			
Date of Lo		10/10/2018 12:00 AM	Date Received:	10/30/2018 12:00 A	М
Date Inspect		3/22/2019 12:00 PM	Date Entered:		
Dute hispeet		<i>5,22,2017</i> 12.001 WI	Duc Entered.	11,0,2010 11.25 14	**
Price L	ist:	FLPC8X_OCT18			
		Restoration/Service/Re	emodel		
Estima	ate:	18-000422_HEALTH_	_S		

NOTICE: This is a repair estimate only & not an authorization to repair. Determination of coverage and issuance of payment, for any, is at the sole discretion of the insurance company. Associated Adjusters Network, Inc is a independent adjusting firm and has no authority authorize repairs or payment. All authorization must come from you insurance carrier.



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

18-000422_HEALTH_S


ROOF

ROOF

DESCRIPTION

171. Dumpster load - Approx. 40 yards, 7-8 tons of debris

NOTES:



DECODIDITION

Main building roof

10069.10 Surface Area502.58 Total Perimeter Length289.98 Total Hip Length

100.69 Number of Squares146.07 Total Ridge Length

QTY

0.000

2.00 EA

DESCRIPTION		QTY
1a. Remove Tarp - all-purpose poly - per sq ft (labor and material)		1200.00 SF
1b. Tarp - all-purpose poly - per sq ft (labor and material)		1200.00 SF
52. Tear off composition shingles (no haul off)		100.69 SQ
50. Laminated - comp. shingle rfg w/out felt		116.00 SQ
The software does not allow for a 30 yr 3 tab shingle, so the line item of a 30 yr laminated shingle is b quality. Waste set at 15% due to the roof being a hip and dutch hip styles.	being used for like,	kind and
51. Re-nailing of roof sheathing - complete re-nail		10069.10 SF
Allowed due to code requirements and is recoverable once incurred.		
62. Asphalt starter - universal starter course		489.58 LF
4. Continuous ridge vent - shingle-over style		146.07 LF
54a. Remove Power attic vent cover only - metal		1.00 EA
54b. Power attic vent cover only - metal		1.00 EA
5. Ridge cap - composition shingles		436.05 LF
43. Detach & Reset Skylight - single dome fixed, 6.6 - 9 sf		8.00 EA
44. Detach & Reset Roof vent - turtle type - Metal		2.00 EA
45. Detach & Reset Flat roof exhaust vent / cap - gooseneck 12"		6.00 EA
8-000422_HEALTH_S	4/2/2019	Page: 2



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Main building roof

DESCRIPTION	QTY
46. Valley metal	162.00 LF
47. Flashing - pipe jack	2.00 EA
48. Drip edge	502.58 LF
49. Roofing felt - 30 lb.	100.69 SQ

NOTES:

Left Elevation

DESCRIPTION	QTY	
Due to the racking, broken seals, cladding, weather stripping, and swollen wood frames; we are recommending that all the windows be replaced due to the integrity and functionality being compromised.		
6a. Remove Wood window - casement, 3-11 sf	14.00 EA	
6b. Wood window - casement, 3-11 sf	14.00 EA	
64. Additional charge for a retrofit window, 3-11 sf	14.00 EA	
63a. Remove Wood window - picture (fixed), 12-23 sf	6.00 EA	
63b. Wood window - picture (fixed), 12-23 sf	6.00 EA	
61. Add on for "Low E" glass	120.00 SF	
55a. Remove Soffit & fascia - wood - 2' overhang	24.00 LF	
55b. Soffit & fascia - wood - 2' overhang	24.00 LF	
8. Seal & paint wood window (per side) - Large	2.00 EA	
56. Prime & paint exterior fascia - wood, 6"- 8" wide	0.00 LF	
57. Prime & paint exterior soffit - wood	0.00 SF	



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Left Elevation

DESCRIPTION

NOTES:

QTY

Rear Elevation

DESCRIPTION

DESCRIPTION	QTY
68. Light bulb - LED BR30 - 600 to 800 lm - material only	1.00 EA
66a. Remove Exterior light fixture - High grade	1.00 EA
66b. Exterior light fixture - High grade	1.00 EA
70. Lighting Installer - Electrician - per hour	3.00 HR

NOTES:

Right Elevation

DESCRIPTION		QTY
Due to the racking, broken seals, cladding, weather stripping, and swollen wood fra windows be replaced due to the integrity and functionality being compromised.	ames; we are recommending that	all the
172a. Remove Wood window - casement, 3-11 sf		8.00 EA
172b. Wood window - casement, 3-11 sf		8.00 EA
173. Additional charge for a retrofit window, 3-11 sf		16.00 EA
174a. Remove Wood window - picture (fixed), 12-23 sf		8.00 EA
174b. Wood window - picture (fixed), 12-23 sf		8.00 EA
18-000422_HEALTH_S	4/2/2019	Page: 4




1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Right Elevation

DESCRIPTION	QTY
175. Add on for "Low E" glass	120.00 SF
71. Light bulb - LED BR30 - 600 to 800 lm - material only	3.00 EA
72a. Remove Exterior light fixture - High grade	3.00 EA
72b. Exterior light fixture - High grade	3.00 EA
73. Lighting Installer - Electrician - per hour	3.00 HR

NOTES:

INTERIOR



Missing Wall - Goes to Floor

Opens into Exterior

1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

	Subroom: Room2 (1)	Height: Sloped
⊢ −6' − 4"	956.34 SF Walls	190.15 SF Ceiling
	1146.49 SF Walls & Ceiling	157.53 SF Floor
23' 8"*	17.50 SY Flooring	47.25 LF Floor Perimeter
	61.06 LF Ceil. Perimeter	
Missing Wall - Goes to Floor	5' 11'' X 8'	Opens into Exterior
Missing Wall	8' 4 7/16'' X 15' 10''	Opens into HALLWAY
Missing Wall - Goes to Floor	6' X 8'	Opens into Exterior
DESCRIPTION		QTY
76. Drywall tape joint/repair - p	er LF	144.00 LF
Item includes the retaping of the	damaged tape in all the skylight scuttle holes.	
74. Drywall patch / small repair	, ready for paint	2.00 EA
78. Seal more than the ceiling w/PVA primer - one coat		509.29 SF
79. Additional cost for high wall or ceiling - Over 14'		450.96 SF
82. Mask wall - plastic, paper, tape (per LF)		123.39 LF
83. Floor protection - plastic an	d tape - 10 mil	323.44 SF

NOTES:

CONNECTED Claim Services

Off	ice 33/34	Height: 8
	394.67 SF Walls	122.36 SF Ceiling
$allwa \widehat{\mathbf{C}}$ $\widehat{\mathbf{b}}$ Office 33/34 $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}$ $\widehat{\mathbf{b}}$ $\widehat{\mathbf{b}$ \widehat	517.03 SF Walls & Ceiling	122.36 SF Floor
	13.60 SY Flooring	51.33 LF Floor Perimeter
	51.33 LF Ceil. Perimeter	
Window	2' X 4'	Opens into Exterior
Window	2' X 4'	Opens into Exterior
DESCRIPTION		QTY
84a. Remove Suspended ceiling tile	e - 2' x 4'	32.00 SF

18-000422_HEALTH_S



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Office 33/34

DESCRIPTION	QTY
84b. Suspended ceiling tile - 2' x 4'	32.00 SF
90a. Remove Batt insulation - 6" - R19 - paper faced	32.00 SF
90b. Batt insulation - 6" - R19 - paper faced	32.00 SF
89. Suspended ceiling tile - Detach & reset	90.36 SF
88. Clean suspended ceiling grid	122.36 SF

NOTES:

$\mathbf{M}_{\text{Men's RR}} = \begin{bmatrix} 11' 2^n \\ 10' 6^n \\ 10' 6^n \end{bmatrix}_{bo}$	Men's RR	Height: 8'
	451.33 SF Walls	150.36 SF Ceiling
	601.69 SF Walls & Ceiling	150.36 SF Floor
	16.71 SY Flooring	56.42 LF Floor Perimeter
	56.42 LF Ceil. Perimeter	
DESCRIPTION		QTY
93. Detach & Reset Fluorescent - two tube - 4' - fixture w/lens		2.00 EA
94. Mask and prep for paint - plastic, paper, tape (per LF)		56.42 LF
95a. Remove Batt insulation - 6" - R19 - paper faced		150.36 SF
95b. Batt insulation - 6" - R19 - paper faced		150.36 SF
96. Detach & Reset Bathroom ventilation fan		1.00 EA
92a. Remove 5/8" drywall - hung, taped, with smooth wall finish		150.36 SF
92b. 5/8" drywall - hung, taped, with smooth wall finish		150.36 SF
97. Floor protection - plastic and tape - 10 mil		150.36 SF



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Men's RR

DESCRIPTION

NOTES:

QTY

QTY

<u>-4' 4"</u> <u>7' 6</u> "	Records	Height: 8'
	317.58 SF Walls	94.79 SF Ceiling
records	412.37 SF Walls & Ceiling	94.79 SF Floor
5 ¹ 2"	10.53 SY Flooring	39.70 LF Floor Perimeter
	39.70 LF Ceil. Perimeter	

DESCRIPTION

129. Contents - move out then reset - Large room	1.00 EA
98a. Remove Suspended ceiling grid - 2' x 2'	94.79 SF
98b. Suspended ceiling grid - 2' x 2'	94.79 SF
99. Suspended ceiling tile - 2' x 2'	94.79 SF
111. Detach & Reset Ceiling diffuser - square, lay-in - 24"	1.00 EA
114. Detach & Reset Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA
110. Batt insulation - 6" - R19 - paper faced	94.79 SF
109. Mask and prep for paint - plastic, paper, tape (per LF)	39.70 LF
143a. Remove 1/2" drywall - hung, taped, floated, ready for paint	317.58 SF
143b. 1/2" drywall - hung, taped, floated, ready for paint	317.58 SF
104. Cove base molding - rubber or vinyl, 4" high	39.70 LF
108. Seal the walls w/PVA primer - one coat	317.58 SF
107. Paint the walls - one coat	317.58 SF
101. Remove Glue down carpet	94.79 SF
103. Glue down carpet	99.00 SF



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Records

DESCRIPTION

NOTES:

Break Room Height: 8' 283.18 SF Walls 102.48 SF Ceiling 385.66 SF Walls & Ceiling 90.52 SF Floor Break Room 10.06 SY Flooring 33.10 LF Floor Perimeter 42.17 LF Ceil. Perimeter Window 2' 6" X 2' **Opens into Exterior** DESCRIPTION QTY 1.00 EA 131. Contents - move out then reset - Large room 115a. Remove Suspended ceiling grid - 2' x 2' 102.48 SF 115b. Suspended ceiling grid - 2' x 2' 102.48 SF 116. Suspended ceiling tile - 2' x 2' 102.48 SF 117. Detach & Reset Ceiling diffuser - square, lay-in - 24" 1.00 EA 118. Detach & Reset Fluorescent - acoustic grid fixture - four tube, 2'x 4' 2.00 EA 119. Batt insulation - 6" - R19 - paper faced 102.48 SF 120. Mask and prep for paint - plastic, paper, tape (per LF) 42.17 LF 144a. Remove 1/2" drywall - hung, taped, floated, ready for paint 283.18 SF 144b. 1/2" drywall - hung, taped, floated, ready for paint 283.18 SF 122. Cove base molding - rubber or vinyl, 4" high 33.10 LF 123. Seal the walls w/PVA primer - one coat 283.18 SF 124. Paint the walls - one coat 283.18 SF Items include the trim around the window. 125a. Remove Trim board - 1" x 4" - installed (pine) 33.10 LF 125b. Trim board - 1" x 4" - installed (pine) 33.10 LF 18-000422_HEALTH_S 4/2/2019 Page: 9

QTY



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Break Room

DESCRIPTION	QTY
128. Seal & paint trim - two coats	12.00 LF

NOTES:

	Server Rm	Height: 8'
	264.00 SF Walls	67.50 SF Ceiling
¹ ⁵ ⁷ ⁷ ⁶ ⁷ ⁷ ⁷ ⁷ ¹ ⁹	331.50 SF Walls & Ceiling	67.50 SF Floor
	7.50 SY Flooring	33.00 LF Floor Perimeter
	33.00 LF Ceil. Perimeter	

DESCRIPTION	QTY
132. Contents - move out then reset - Large room	1.00 EA
133a. Remove Suspended ceiling grid - 2' x 2'	67.50 SF
133b. Suspended ceiling grid - 2' x 2'	67.50 SF
134. Suspended ceiling tile - 2' x 2'	67.50 SF
135. Detach & Reset Ceiling diffuser - square, lay-in - 24"	1.00 EA
136. Detach & Reset Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA
137. Batt insulation - 6" - R19 - paper faced	
138. Mask and prep for paint - plastic, paper, tape (per LF)	33.00 LF
145a. Remove 1/2" drywall - hung, taped, floated, ready for paint	264.00 SF
145b. 1/2" drywall - hung, taped, floated, ready for paint	264.00 SF
140. Cove base molding - rubber or vinyl, 4" high	33.00 LF
141. Seal the walls w/PVA primer - one coat	264.00 SF
142. Paint the walls - one coat	



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

CONTINUED - Server Rm

DESCRIPTION

NOTES:

QTY

	Lab	Height: 8'
	520.00 SF Walls	195.92 SF Ceiling
$ \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} 0 & 0 \\$	715.92 SF Walls & Ceiling	195.92 SF Floor
	21.77 SY Flooring	65.00 LF Floor Perimeter
	65.00 LF Ceil. Perimeter	

DESCRIPTION	QTY
146a. Remove Suspended ceiling tile - 2' x 4'	32.00 SF
146b. Suspended ceiling tile - 2' x 4'	32.00 SF
147a. Remove Batt insulation - 6" - R19 - paper faced	32.00 SF
147b. Batt insulation - 6" - R19 - paper faced	32.00 SF
148. Suspended ceiling tile - Detach & reset	163.92 SF
149. Clean suspended ceiling grid	195.92 SF
152. Clean countertop - Heavy	54.00 SF


NOTES:

1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

32'1"	Admin Hall	Height: 8'
4 2 31'9" 1 2" ~ 13' 1" Admin Hall 2' 10" 15' 6" 50	828.67 SF Walls	297.30 SF Ceiling
	1125.97 SF Walls & Ceiling	297.30 SF Floor
$ \sum_{\substack{i \in \mathcal{S} \\ i \in \mathcal{S}}} \sum_{j \in \mathcal{S}} Conference $	33.03 SY Flooring	100.83 LF Floor Perimeter
10" 8"	117.33 LF Ceil. Perimeter	
Door	2' 10'' X 6' 8''	Opens into CONFERENCE
Door	2' 10" X 6' 8"	Opens into CONFERENCE
Door	5' X 6' 8''	Opens into Exterior
Door	2' 10'' X 6' 8''	Opens into STAFF_RR
Door	3' X 6' 8"	Opens into Exterior
DESCRIPTION		QTY
153a. Remove Suspended ceiling tile - 2' x 2'		32.00 SF
153b. Suspended ceiling tile	- 2' x 2'	32.00 SF
154a. Remove Batt insulation - 6" - R19 - paper faced		32.00 SF
154b. Batt insulation - 6" - R19 - paper faced		32.00 SF
155. Suspended ceiling tile - Detach & reset		265.30 SF
157. Drywall patch / small repair, ready for paint		2.00 EA
156. Clean suspended ceiling	g grid	297.30 SF

NOTES:

CONNECTED Claim Services





1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

DESCRIPTION

DESCRIPTION	QTY
158a. Remove Suspended ceiling tile - 2' x 2'	32.00 SF
158b. Suspended ceiling tile - 2' x 2'	32.00 SF
159a. Remove Batt insulation - 6" - R19 - paper faced	32.00 SF
159b. Batt insulation - 6" - R19 - paper faced	32.00 SF
160. Suspended ceiling tile - Detach & reset	225.88 SF
161. Clean suspended ceiling grid	257.88 SF

NOTES:

5 ⁶ 9"	aff RR	Height: 8'
s 10. *	213.11 SF Walls	51.87 SF Ceiling
	264.98 SF Walls & Ceiling	51.87 SF Floor
	5.76 SY Flooring	26.17 LF Floor Perimeter
	29.00 LF Ceil. Perimeter	
Door	2' 10'' X 6' 8''	Opens into ADMIN_HALL
DESCRIPTION		QTY
166a. Remove 5/8" drywall - hung, taped, with smooth wall finish		51.87 SF
166b. 5/8" drywall - hung, taped, with smooth wall finish		51.87 SF
162. Detach & Reset Fluorescent - two tube - 4' - fixture w/lens		2.00 EA
163. Mask and prep for paint - plastic, paper, tape (per LF)		29.00 LF
164a. Remove Batt insulation - 6" - R19 - paper faced		51.87 SF
164b. Batt insulation - 6" - R19 - paper faced		51.87 SF
165. Detach & Reset Bathroom ventilation fan		1.00 EA
167. Floor protection - plastic and tape - 10 mil		51.87 SF

NOTES:



1350 E Tennessee Street, Suite C4 Tallahassee, FL 32308 Office: (844) 987-7486 Fax: (844) 987-7486 Email: info@connectedclaimservices.com

Labor Minimums Applied

DESCRIPTION

DESCRIPTION	QTY
102. Carpet labor minimum	1.00 EA
106. Vinyl floor covering labor minimum	1.00 EA
113. Heat, vent, & air cond. labor minimum	1.00 EA
34. Siding labor minimum	1.00 EA
126. Finish carpentry labor minimum	1.00 EA

NOTES:

Grand Total Areas:

5,670.98	SF Walls	1,705.74	SF Ceiling	7,376.72	SF Walls and Ceiling
1,651.93	SF Floor	183.55	SY Flooring	564.40	LF Floor Perimeter
0.00	SF Long Wall	0.00	SF Short Wall	624.52	LF Ceil. Perimeter
1,651.93	Floor Area	1,848.29	Total Area	5,703.12	Interior Wall Area
5,302.75	Exterior Wall Area	503.58	Exterior Perimeter of Walls		
10,069.10	Surface Area	100.69	Number of Squares	0.00	Total Perimeter Length
146.07	Total Ridge Length	289.98	Total Hip Length		





図 介

ROOF






図 介

INTERIOR

18-000422_HEALTH_S